

EN12845 FIRE FIGHTING UNITS REQUEST FORM

DATE

COMPANY NAME _____

ADDRESS _____

TEL. _____

FAX _____

E-mail _____

TECHNICAL FEATURES OF THE FIRE FIGHTING UNIT:

SINGLE CAPACITY	<input style="width: 90%;" type="text"/>	mc/h		
MAIN PUMPS	<input style="width: 90%;" type="text"/>	lt/min	HAED (m.c.a)	<input style="width: 90%;" type="text"/>
	ABOVE HEAD <input type="checkbox"/>		BELOW HEAD <input type="checkbox"/>	

TIPOLOGY:

- Base-coupling (BG range)**
 Submersible (SM range)
 Vertical Turbine (VTS range)

CONFIGURATIONS:

- | | |
|--|---|
| <input type="checkbox"/> P1E Nr 1 Electro pump + Jockey | <input type="checkbox"/> P1M Nr 1 Motor pump + Jockey |
| <input type="checkbox"/> P2E Nr 2 Electro pumps + Jockey | <input type="checkbox"/> PEM Nr 1 Electro pump + Nr 1 Motor pump+ Jockey |
| <input type="checkbox"/> ETP Nr 1 Electro pump | <input type="checkbox"/> MTP Nr 1 Motor pump |
| <input type="checkbox"/> P2M Nr 2 Motor pumps + Jockey | <input type="checkbox"/> Other _____ |
| <input type="checkbox"/> Firefighting unit on separate skids (valid only for versions with 2 main pumps PEM, P2E e P2M) | |

ACCESSORIES:

- FLOWMETER KIT
- CONTROL ALARM PANEL MOD. ALARM EN-EN SELF-POWERED
- BEACON AND FLASHING ALARM
- AUTOMATIC PHONE DIALLER GSM DUAL BAND MULTIFUNCTION GSM-MOD.MIKROS GSM APPLICAZIONE

ACCESSORIES FOR MOTOR PUMPS (if present):

- SPARE PARTS KIT FOR DIESEL ENGINE
- HEAT EXCHANGER IN STEAD OF RADIATOR (only for liquid cooled engines)
- PRESSUR VENT VALVE

ACCESSORIES FOR ABOVE HEAD SUCTION PUMP:

- ECCENTRIC DOUBLE FLANGED REDUCTION (one for each main pump)
- 500 lt PRIMING TANK (mandatory for above head)
- COMPENSATION FLANGED RUBBER JOINT (one for each main pump)
- FLANGED FOOT VALVE WITH STRAINER WITH A DN BIGGER THAN THE ONE OF THE ECCENTRIC REDUCTION OF THE MAIN PUMPS (one for each main pump)
- THREADED FOOT VALVE WITH FILTER FOR JOCKEY PUMP

ACCESSORIS FOR BELOW HEAD SUCTION PUMP:

- BELOW HEAD SUCTION PUMP KIT FOR MAIN PUMP COMPOSED BY ECCENTRIC DOUBLE FLANGED VALVE AND LUG BUTTERFLY VALVE (one for each main pump)
- BALL VALVE WITH 3 PIECES JOINT FOR JOCKEY PUMP
- COMPENSATION FLANGED RUBBER JOINT (one for each main pump)

NOTES

Idrofoglia srl

> via provinciale, 14
 > 61026 Lunano (PU) - Italiy
 > tel. +39 0722 700 311
 > fax. +39 0722 700 309

> C.F. e P.Iva IT 00100740414
 > Registro ditte Pesaro-Urbino PS 167-1026
 > C.C.I.A.A. 33326
 > Cap. Soc. Euro 837.200,00 i.v.

www.idrofoglia.com

e-mail: staff@idrofoglia.com



EXTERNAL BOX ACCORDING TO UNI11292 FOR THE FIRE FIGHTING UNIT REQUEST FORM

- UNISHELT EXTERNAL BOX**
Our technical office will choose the suitable box depending on the dimensions of the firefighting system



UNISHELT EXTERNAL CONNECTIONS:

- EXTERNAL BOX JOCKEY PUMP SUCTION CONNECTION (only for BG systems)
 MAIN PUMP SUCTION CONNECTION FROM (only for BG systems)
 EXTERNAL BOX DELIVERY MANYFOLD CONNECTION
 EXTERNAL BOX FLOWMETER MANYFOLD CONNECTION



NOTES

STEEL WATER STORAGE TANK REQUEST FORM

- EXTERNAL STEEL TANK IDROTANK-F
 INTERNAL STEEL TANK IDROTANK-S



PLEASE CHOOSE THE REQUIRED USEFUL CAPACITY

<input type="checkbox"/> 5	<input type="checkbox"/> 30	<input type="checkbox"/> 65
<input type="checkbox"/> 10	<input type="checkbox"/> 36	<input type="checkbox"/> 72
<input type="checkbox"/> 15	<input type="checkbox"/> 45	<input type="checkbox"/> 82
<input type="checkbox"/> 22	<input type="checkbox"/> 50	<input type="checkbox"/> 92
<input type="checkbox"/> 25	<input type="checkbox"/> 57	<input type="checkbox"/> 102

ACCESSORIES FOR STORAGE:

- FILLING BALL VALVE WITH FLOATER
 HYDRAULIC FILLING VALVE WITH SINGLE FLOATER (for reduced capacity tank)
 HYDRAULIC FILLING VALVE WITH DOUBLE FLOATER (for reduced capacity tank)
 ELECTRONIC FUEL LEVEL INDICATOR KIT
 ANTIROLL SADDLES

ACCESSORIES FOR UNDERGROUND STORAGE TANK:

- EXTENSIONS KIT
 EXTERNAL TREATMENT WITH HIGH THICKNESS PAINT FOR TANK STRAY CURRENT PROTECTION

ACCESSORIES FOR EXTERNAL STORAGE TANK:

- ANTIFREEZE KIT WITH RESISTANCE
 ANTIFREEZE RECIRCULATION WATER SYSTEM KIT (instead of the resistance)

NOTES

Idrofoglia srl

> via provinciale, 14
 > 61026 Lunano (PU) - Italiy
 > tel. +39 0722 700 311
 > fax. +39 0722 700 309

> C.F. e P.Iva IT 00100740414
 > Registro ditte Pesaro-Urbino PS 167-1026
 > C.C.I.A.A. 33326
 > Cap. Soc. Euro 837.200,00 i.v.

www.idrofoglia.com

e-mail: staff@idrofoglia.com



INTEGRATED SYSTEM ACCORDING TO UNI11292 NORM FOR THE FIRE FIGHTING UNIT AND THE STORAGE TANK REQUEST FORM

- EXTERNAL UNITANK INTEGRATED SYSTEM**
Our technical office will choose the suitable box depending on the dimensions of the firefighting unit



PLEASE CHOOSE THE REQUIRED USEFUL CAPACITY

<input type="checkbox"/> 5	<input type="checkbox"/> 30	<input type="checkbox"/> 65
<input type="checkbox"/> 10	<input type="checkbox"/> 36	<input type="checkbox"/> 72
<input type="checkbox"/> 15	<input type="checkbox"/> 45	<input type="checkbox"/> 82
<input type="checkbox"/> 22	<input type="checkbox"/> 50	<input type="checkbox"/> 92
<input type="checkbox"/> 25	<input type="checkbox"/> 57	<input type="checkbox"/> 102

ACCESSORIES:

- FILLING BALL VALVE WITH FLOATER
- HYDRAULIC FILLING VALVE WITH SINGLE FLOATER (for reduced capacity tank)
- HYDRAULIC FILLING VALVE WITH DOUBLE FLOATER (for reduced capacity tank)
- ELECTRONIC FUEL LEVEL INDICATOR KIT
- ANTIFREEZE KIT WITH RESISTANCE
- ANTIFREEZE RECIRCULATION WATER SYSTEM

- UNDERGROUND INTEGRATED SYSTEM PTS-IDROTANK**



- UNDERGROUND INTEGRATED SYSTEM BTS-IDROTANK**



PLEASE CHOOSE THE REQUIRED USEFUL CAPACITY

<input type="checkbox"/> 12	<input type="checkbox"/> 42	<input type="checkbox"/> 72
<input type="checkbox"/> 22	<input type="checkbox"/> 45	<input type="checkbox"/> 82
<input type="checkbox"/> 25	<input type="checkbox"/> 52	<input type="checkbox"/> 92
<input type="checkbox"/> 32	<input type="checkbox"/> 62	<input type="checkbox"/> 102

ACCESSORIES:

- FILLING BALL VALVE WITH FLOATER
- HYDRAULIC FILLING VALVE WITH SINGLE FLOATER (for reduced capacity tank)
- HYDRAULIC FILLING VALVE WITH DOUBLE FLOATER (for reduced capacity tank)
- ELECTRONIC FUEL LEVEL INDICATOR KIT
- ANTIROLL SADDLES
- EXTENSIONS KIT
- EXTERNAL TREATMENT WITH HIGH THICKNESS PAINT FOR TANK STRAY CURRENT PROTECTION

NOTES

Idrofoglia srl

> via provinciale, 14
> 61026 Lunano (PU) - Italiy
> tel. +39 0722 700 311
> fax. +39 0722 700 309

> C.F. e P.Iva IT 00100740414
> Registro ditte Pesaro-Urbino PS 167-1026
> C.C.I.A.A. 33326
> Cap. Soc. Euro 837.200,00 i.v.

www.idrofoglia.com

e-mail: staff@idrofoglia.com

